

# SAFETY DATA SHEET CITRUS GROVE Kleenmist

# Section 1. Identification of the substance/mixture and of the company/undertaking

# 1.1 Product Identifier

Product Form: Product Name: Product No: Mixture Air Freshener Aerosol 750ml/500ml/270ml/100ml Citrus Grove – PN796941A

# **1.2 Relevant identified uses of the substances of mixture and uses advised against**

<u>1.2.1 Relevant Identified uses</u>
Air Freshener for general public use
<u>1.2.2 Uses advised against</u>
No additional information available

# **1.3 Details of the supplier of the safety data sheet**

Company name:Robert Scott & Sons LtdCompany address:Oak View MillsManchester RoadGreenfieldOldhamOL3 7HGsales@robert-scott.co.uk

# **1.4 Emergency telephone number**

+44 (0) 1457 819494

Mon – Fri 0800-1700

# Section 2. Hazards Identification

# 2.1 Classification of the substance or mixture

Classification according to (EC) 1272/2008 [CLP]

Aerosol Category 1 H222;H229

Serious eye damage/eye irritation Category 2 H319 The full text for all Hazard statements are displayed in Section 16.

Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol

# 2.2 Label elements

Label in accordance with (EC) 1272/2008 [CLP] Hazard pictograms (CLP)



GHS07

GHS02

		GHSUZ	01307
Signal Word (CLP):	Danger		
Hazard Statements (CL	P):		
	H222	Extremely Flammable Aeros	ol
	H229	Pressurised container: May b	ourst if heated
	H319	Causes serious eye irritation	
Precautionary Stateme	ents (CLP):		
	P102	Keep out of reach of children	ı
	P210	Keep away from heat, hot su	Irfaces, sparks, open flames and
other			
		ignition sources. No smoking	5
	P211	Do not spray on an open flar	me or other ignition source
	P251	Do not pierce or burn even a	ifter use
	P501	Dispose of contents/contain	er in accordance with Local
Regulations			
Supplementary Precau	tionary Stateme	nts:	
	P273	Avoid release into the enviro	onment
	P305+351+338	IF IN EYES: Rinse cautiously w	with water for several minutes.
Remove contact			
		lenses, if present and easy to	o do. Continue rinsing.
	P370+378	In case of fire: Use carbon di	oxide, dry chemical, foam for
extinction.			
	P410+412	Protect from sunlight. Do no	t expose to temperatures
exceeding			
		50°C/122°F.	

# 2.3 Other hazards:

No additional information available

# Sections 3. Composition / information on ingredients

# 3.1 Substance

Not applicable

# 3.2 Mixtures

Contains:

Name	CAS	EC	%	Classification for (CLP) 1272/2008
Petroleum Gases Liquified	68476-85- 7	270-704-2	70-100%	Flam Gas 1-H220

Ethyl alcohol	64-17-5	200-578-6	<20%	Flam Liq 2-H225
				Eye Irrit 2:H319 (SCL
				≥50%)
Hexamethylindanopyran	1222-05-5	214-946-9	0.04%	Flam Liq 3-H226;Asp
				Tox 1-H304;Skin Irrit
				2-H315;Skin Sens 1-
				H317;Aquat Chron
				1:H410

The full text for Hazard and Precautionary statements are listed in Section 16.

# Section 4. First aid measures

# 4.1 First aid measures

# **General information**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

# Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

# Ingestion

DO NOT induce vomiting. Get medical attention immediately

# Skin contact

Wash the skin immediately with soap and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

# **Eye Contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries:	Not expected to present a significant hazard under
anticipated conditions of	
	normal use
Symptoms/injuries after inhalation:	Not expected to present a significant inhalation hazard
	under anticipated conditions of normal use. May cause slight irritation.
Symptoms/injuries after skin contact:	Not expected to present a significant skin hazard under
Symptoms/injunes after skin contact.	
	anticipated conditions of normal use. May cause slight
	irritation.
Symptoms/injuries after eye contact:	Causes eye irritation.
Symptoms/injuries after ingestion:	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. May cause a light
	irritation of the linings of the mouth, throat, and gastrointestinal tract.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

#### Section 5: Firefighting measures

# 5.1 Extinguishing media

STI EXCligationing incuta	
Suitable media:	Carbon dioxide, Dry chemical, Foam.
5.2 Special hazards arising fror	n the substance or mixture.
Fire hazard:	Extremely flammable aerosol
Reactivity in case of fire:	Not known
Hazardous decomposition	
Products in case of fire:	Toxic fumes may be released
5.3 Advice for fire fighters:	
Precautionary measures fire:	Stop leak if safe to do so
Firefighting instructions:	Eliminate all ignition sources if safe to do so. Fight fire with normal
	Precautions from a reasonable distance
Protection during firefighting: equipment.	Do not attempt to take action without suitable protective
	Self-contained breathing apparatus. Complete protective clothing.

hing. ing apparatus. Complete protecti

# Section 6. Accidental release measures

6.1 Personal precautions, prot	ective equipment and emergency procedures:
General measures:	Ensure adequate ventilation. Eliminate ignition sources. Avoid
release into	
	The environment.
6.1.1 For non-emergency perso	onnel
Protective equipment:	Not required for normal conditions of use
Emergency procedure:	Ventilate spillage area. Eliminate all ignition sources if safe to do so.
Avoid contact	
	With skin and eyes
6.1.2 for emergency responder	<u>2</u>
Protective equipment:	Do not attempt to take action without suitable protective
equipment. For further	
	Information refer to section 8:"Exposure controls/personal
protection". Avoid	
	Contact with skin and eyes.
Emergency procedure:	Ventilate spillage area. Eliminate all ignition sources if safe to do so.

# 6.2 Environmental precautions:

Avoid release into the environment.

# 6.3 Methods and material for containment and cleaning up:

For containment:	Not applicable
Methods for cleaning up:	This material and its container must be disposed of in a safe way, as
per	
	local regulations and legislation.
Other information: waste. Dispose of	This material and its container must be disposed of as hazardous
	in a safe way, as per local regulations and legislation.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

# 7.1 Precautions for safe handling:

Additional hazards when	
processed:	Handle empty containers with care because residual vapours are
flammable.	
	In use, may form flammable vapour-air mixture. Pressurized
container: Do not	
	Pierce, or burn, even after use.
Precautions for safe handling: ignition	Keep away from heat, hot surfaces, sparks, open flames and other
	Sources. No smoking. Do not spray on to an open flame or other
ignition	
	Source. Pressurized container: do not pierce or burn, even after use.
Hygiene measures:	Do not eat, drink or smoke when using this product.
7.2 Conditions for safe storage	, including any incompatibilities.
Technical measures:	Ensure adequate ventilation
Storage conditions: 50°C/122°F	Protect from sunlight. Do not expose to temperatures exceeding
	Store in a well ventilated place. Keep cool.
Incompatible products:	Strong bases, strong acids. Oxidising agents.
Incompatible materials:	Sources of ignition. Heat sources. Direct sunlight.
Storage area: surfaces,	Store in a well ventilated place. Keep away from open flames, hot
	And sources of ignition.
Special rules on packaging:	Keep only in original container.

# 7.3 Specific end use(s):

Air care products. Use in accordance with good manufacturing and industrial hygiene practises.

# Section 8. Exposure controls/personal protection

# 8.1 Control Parameters

No additional information available.

# 8.2 Exposure controls

#### Workplace exposure limits:

CAS	FC	STD	TWA – 8 Hrs	STEL-15 Min		Reference
	-					
68476-	270-	VVEL	• •			UK EH40 Dec
85-7	704-2		1750 mg.m <sup>3</sup>	2180 mg.m <sup>3</sup>		2011
64-17-	200-	WEL	1000 ppm			UK EH40 Dec
5	578-6		1290 mg.m <sup>3</sup>			2011
	64-17-	68476-         270-           85-7         704-2           64-17-         200-	68476-         270-         WEL           85-7         704-2            64-17-         200-         WEL	68476-         270-         WEL         1000 ppm           85-7         704-2         1750 mg.m <sup>3</sup> 64-17-         200-         WEL         1000 ppm	68476-         270-         WEL         1000 ppm         1250ppm           85-7         704-2         1750 mg.m <sup>3</sup> 2180 mg.m <sup>3</sup> 64-17-         200-         WEL         1000 ppm	68476-         270-         WEL         1000 ppm         1250ppm           85-7         704-2         1750 mg.m <sup>3</sup> 2180 mg.m <sup>3</sup> 64-17-         200-         WEL         1000 ppm

Derived No Effect Levels (DNEL): Petroleum Gases Liquified

#### Not applicable

#### <u>Ethanol</u>

DNEL for workers		
Inhalation DNEL (short term,	1900 mg/m3	(irritation respiratory tract)
local)	-	
Inhalation DNEL (long term,	950 mg/m3	(carcinogenicity)
systemic)		
Dermal DNEL (long term,	343 mg/kg bw/day	(repeated dose toxicity)
systemic)		
DNEL for the general populatio	n	
Inhalation DNEL (short term,	950 mg/m3	(irritation respiratory tract)
local)		
Inhalation DNEL (long-term,	114 mg/m3	(carcinogenicity)
systemic)		
Dermal DNEL (long-term,	206 mg/kg bw/day	(repeated dose toxicity)
systemic)		
Oral DNEL (long-term,	87 mg/kg bw/day	(repeated dose toxicity)
systemic)		

Predicted No Effect Concentration (PNEC):

# Petroleum Gases Liquified

Exposure assessments have not been presented for the environment, therefore PNEC values not required

<u>Ethanol</u>

PNEC aqua (freshwater)	0,96 mg/L
PNEC aqua (marine water)	0,79 mg/L
PNEC aqua (intermittent	2,75 mg/L
releases):	
PNEC sediment (freshwater):	3,6 mg/kg sediment dw
PNEC sediment (marine water):	2,9 mg/kg sediment dw
PNEC soil	0,63 mg/kg soil dw
PNEC STP (Sewage Treatment	580 mg/L
Plant)	
PNEC oral (food chain)	0,72 g/kg food
FINEC Oral (1000 chain)	0,72 g/kg 1000

# 8.2 Exposure Controls

Engineering Measures Distribution, Workplace and Household Settings: Ensure adequate ventilation

Personal Protective Equipment

Eye Protection Distribution, Workplace and Household Settings: No special protective equipment required

Hand Protection Distribution, Workplace and Household Settings: No special protective equipment required

Skin and Body Protection Distribution, Workplace and Household Settings: No special protective equipment required

Respiratory Protection Distribution, Workplace and Household Settings: No special protective equipment required

# Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

(a) Appearance	Aerosol.
(b) Odour	Lemon fragrance
c) Odour Threshold	No data available
(d) pH	No data available
(e) Melting point/freezing point	No data available
(f) Initial boiling point and boiling range	No data available
(g) Flash point	Estimated at -35°C
(h) Evaporation point	No data available
(i) Flammability (solid gas)	No data available
(j) Upper/lower flammability	
Or explosive limits	No data available
(k) Vapour pressure	No data available
(I) Vapour density	No data available
(m) Relative density	No data available
(n) Water solubility	No data available
(o) Partition coefficient	
n-octanol/water	No data available
(p) Auto-ignition temperature	No data available
(q) Decomposition temperature	No data available
(r) Viscosity	No data available
(s) Explosive properties	Pressurised contained. May burst if heated.
(t) Oxidising properties	No data available.
9.2. Other information	
	Co.,

Can pressure 70psi.

# Section 10.Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid contact with hot surfaces/heat. No flames; no sparks. Eliminate all sources of ignition

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

# 10.6 Hazardous decomposition products:

Not expected

# Section 11. Toxicological information

# 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated in accordance with methods given in regulation (EC) No 1272/2008.

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for toxicological effects.

Acute Toxicity:	Not classified
Ethyl Alcohol:	
LD50 Oral – Rat	10,470 mg/kg
LC50 Inhalation – Rat	30,000 mg/l – 4 h
LD50 DermaL – Rabbit	15,800 mg/kg
Skin corrosion/Irritation	Not classified
Serious eye damage/eye irritation	Not classified
Repiratory or skin sensation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity	Not classified
Aspiration hazard	Not classified
Potential adverse human health	
Effects and symptoms	Based on available data
met	

Based on available data, the classification criteria are not

#### Section 12. Ecological information

#### 12.1 Toxicity:

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for ecological effects.

Ethyl alcohol Toxicity to fish	LC55 – Primephales promelas (Fathead minnow	ı) – 14,200 mg/l – 96
h		
Toxicity to daphnia and other		
Aquatic vertebrates	LC50 – Ceriodaphnia dubia (Water flea)	- 5,012 mg/l – 48 h
Toxicity to algae	EC50 – Chlorella vulgaris (Fresh water algae)	- 275 mg/l – 72 h
	(OECD Test Guidelines 201)	

Liquid petroleum gases

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

#### 12.2 Persistence and degradability:

Ethyl alcohol Result: 95% - Readily biodegradable Liquid petroleum gases Expected to be readily biodegradable. Oxidises rapidly by photo-chemical reactions in air

#### 12.3 Bioaccumalative potential:

Ethyl alcohol Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected. Liquid petroleum gases Not expected to bioaccumulate significantly

# 12.4 Mobility in soil:

Ethyl alcohol No data available Liquid petroleum gases Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found.

# 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

# 12.6 Other adverse effects:

No data available.

# Section 13. Disposal considerations

# 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal according to Local Authority Regulations

#### Section 14. Transport information

#### 14.1 UN Number

UN No (ADR/RID/ADN)	1950
UN No (IMDG)	1950
UN NO (ICAO)	1950

# 14.2 UN Proper Shipping Name

ADR/IMDG/AND/RID	AEROSOLS
ΙΑΤΑ	Aerosols Flammable
14.3 Transport Hazard Class(es)	
ADR/RID/ADN Class	2.1
ADR/RID/ADN Class	Class 2: Gases
ADR Label No	2.1 & 6.1
ΙΑΤΑ	2.1
IMDG Class	2.1
ICAO Class/Division	2.1
ICAO Subsidiary Risk	6.1
ICAO TEC* No	20GSF
Air Class	2.1
UK Road Class	2.1
Transport Labels	L.Q.



# 14.4 Packing Group

Not Applicable

# 14.5 Environmental Hazards

Dangerous for the environment	No	
Marine pollutant	No	
Other information	No supplement	tary information available
14.6 Special Precautions for user		
Overland Transport		
Classification Code (ADR):	5F	
Special Provisions (ADR):		190,327,344,625
Limited Quantities (ADR):		11
Excepted Quantities (ADR):		EO
Packing Instructions (ADR):		P207,LP02
Special Packing provisions (ADR):		PP87, RR6, L2
Mixed Packing provisions (ADR):		MP9
Transport Strategy (ADR):		2
Special provisions for carriage – Packag		V14
Special Provisions for carriage – Loadin	g, unloading	
and handling (ADR):		CV9, CV12
Special provisions for carriage – Operat	tion (ADR):	S2
Tunnel Restriction Code:		D
Transport by Sea		
Special Provisions (IMDG):		63,190,277,327,344,959
Limited Quantities (IMDG):		SP277
Excepted Quantities (IMDG):		EO
Packing Instructions (IMDG):		P207,LP02
Special Packing provisions (IMDG):		PP87,L2
EmS-No (Fire):		F-D
EmS-No (Spillage):		S-U
Stowage category (IMDG):		None
Stowage and Handling (IMDG):		SW1,SW22
Segregation (IMDG):		SG69
MFAG-No:		126
<u>Air Transport</u>		
PCA Excepted Quantities (IATA):		EO
PCA Limited Quantities (IATA):		Y203
PCA Limited Quantity max net quantity	(IATA):	30KgG
PCA Packing instructions (IATA):		203
PCA max net quantity (IATA):		75Kg
CAO packing instructions (IATA):		203
CAO max net quantity (IATA):		150Kg
Special provisions (IATA):		A145,A167,A802
ERG Code (IATA):		10L
Inland Waterway Transport		
Classification Code (ADN):		5F
Special Provisions (ADN):		190,327,344,625
Limited Quantities (ADN):		1 L
Excepted Quantities (ADN):		EO
Equipment required (ADN):		PP,EX,A
Ventilation (ADN):		VE01,VE04
Number of blue cones/lights (ADN):		1
Rail Transport		
Classification Code (RID):		5F

Special Provisions (RID):	190,327,344,625
Limited Quantities (RID):	1L
Excepted Quantities (RID):	EO
Packing Instructions (RID):	P207,LP02
Special Packing provisions (RID):	PP87,RR6,L2
Mixed Packing provisions (RID):	MP9
Transport Category (RID):	2
Special Provisions for carriage – Packages (RID):	W14
Special Provisions for carriage – Loading, unloading	
and handling (RID):	CW9, CW12
Colis Express (express parcels) (RID):	CE2
Hazard Identification No (RID):	23

#### **14.7 Transport in bulk according to Annex II of MARPOL and the IBC code** Not applicable

Not applicable

# Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Labelling according to Regulation (EC) No 1272/2008 The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health. Approved code of practice. Guidance notes Workplace exposure limits EH40.

<u>15.1.1 EU-Regulations</u> Contains no REACH substances with Annex XVII restrictions.

Contains no REACH Annex XIV substances.

15.1.2 National Regulations

No additional information available.

# 15.2 Chemicals safety assessment

A chemical safety assessment has not been carried out for this product.

# Section 16. Other information

# **General Information:**

This product should be used as directed. For further information consult the product data sheet or contact Technical Services.

# Information sources:

This Safety Data Sheet was compiled using current safety information supplied by the distributor of raw materials.

# Classification under regulation (EC) No 1272/2008

# Hazard statements in full

H220

Extremely flammable gas.

H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container. May burst if heated
H304	May be fatal if swallowed and enters airways
H316	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H410	Very toxic to aquatic life with long lasting effects

#### Abbreviations

Flam Gas 1	Flammable Gas Category 1
Flam Liq 2	Flammable Liquid Category 2
Flam Liq 3	Flammable Liquid Category 3
Asp Tox 1	Aspiration Toxicity category 1
Skin Irrit 2	Skin irritant category 2
Skin Sens 1	Skin sensitivity category 1
Aquat Chron 1	Aquatic Chronic category 1
LD50	Lethal Dose 50%
LC50	Lethal Concentration 50%
OECD	Organisation for Economic and Co-operative Development
PBT	Persistent Bioaccumulative Toxicity
vPvB	Very Persistent Very Bioaccumulative
IMDG	International Maritime Transport of Dangerous Goods
ICAO	International Civil Aviation Organisation

ISSUE:	<b>REV 4.4</b>
<b>REVISION DATE:</b>	JULY 2020
<b>REVIEW DATE:</b>	JULY 2022

#### DISCLAIMER

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of Robert Scott & Sons Ltd is stated or implied. No employee of Robert Scott & Sons Ltd has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions