



**SAFETY DATA SHEET**  
**5L CLEANLINE ORIGINAL WASHING UP LIQUID**  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** 5L CLEANLINE ORIGINAL WASHING UP LIQUID  
**Product number** 800-146-4001  
**Container size** 4 x 5 litres

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Detergent.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** PRIME SOURCE  
 P O BOX 15247  
 BIRMINGHAM  
 B22 3HN  
 tel: 08085 749312  
 info@prime-source.co.uk

**Contact person** For content of safety data sheet:, info@prime-source.co.uk or TEL: – 08085 749312

**1.4. Emergency telephone number**

**Emergency telephone** Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY

**National emergency telephone number** In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Not Classified  
**Health hazards** Eye Irrit. 2 - H319  
**Environmental hazards** Aquatic Chronic 3 - H412

**2.2. Label elements**

**Pictogram**



**Signal word** Warning

**Hazard statements** H319 Causes serious eye irritation.  
 H412 Harmful to aquatic life with long lasting effects.

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

<b>Precautionary statements</b>	<p>P102 Keep out of reach of children.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
<b>Contains</b>	C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES
<b>Detergent labelling</b>	< 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-diol

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>C12-14-ALKYL ETHER SULFATES</b>			<b>1-5%</b>
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>		
Skin Irrit. 2 - H315	Xi;R38,R41.		
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
<b>AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES</b>			<b>&lt;1%</b>
CAS number: 308062-28-4	EC number: 931-292-6	REACH registration number: 01-2119490061-47-XXXX	
M factor (Acute) = 1			
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>		
Acute Tox. 4 - H302	Xn;R22. Xi;R38,R41. N;R50.		
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 2 - H411			

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

<b>BRONOPOL (INN)</b>		<b>&lt;1%</b>
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX
M factor (Acute) = 10		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Provide eyewash station.
<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Provide eyewash station.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

#### 5.3. Advice for firefighters

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

**Protective actions during firefighting** Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.

#### 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

**DNEL**

Workers - Inhalation; Long term systemic effects: 175 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day  
 Consumer - Inhalation; Long term systemic effects: 52 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day  
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

- PNEC**
- Fresh water; 0.24 mg/l
  - marine water; 0.024 mg/l
  - Intermittent release; 0.071 mg/l
  - Sediment, Fresh water; 0.917 mg/kg
  - Sediment, marine water; 0.092 mg/kg
  - Soil; 7.5 mg/kg
  - STP; 10,000 mg/l

### COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 73.4 mg/m<sup>3</sup>
  - Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
  - Workers - Dermal; Long term local effects: 0.0936 mg/cm<sup>2</sup>
  - General population - Inhalation; Long term systemic effects: 21.73 mg/m<sup>3</sup>
  - General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
  - General population - Dermal; Long term local effects: 0.0562 mg/cm<sup>2</sup>
  - General population - Oral; Long term systemic effects: 6.25 mg/kg/day

- PNEC**
- Fresh water; 0.007 mg/l
  - marine water; 0.001 mg/l
  - STP; 830 mg/l
  - Sediment (Freshwater); 0.195 mg/kg
  - Sediment (Marinewater); 0.019 mg/kg
  - Soil; 0.035

### AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 15.5 mg/m<sup>3</sup>
  - Workers - Dermal; Long term systemic effects: 11 mg/kg/day
  - General population - Inhalation; Long term systemic effects: 3.8 mg/m<sup>3</sup>
  - General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
  - General population - Oral; Long term systemic effects: 0.44 mg/kg/day

- PNEC**
- Fresh water; 0.034 mg/l
  - marine water; 0.003 mg/l
  - STP; 24 mg/l
  - Sediment (Freshwater); 5.24 mg/kg
  - Sediment (Marinewater); 0.524 mg/kg
  - Soil; 1.02 mg/kg

### DIETHANOLAMINE (CAS: 111-42-2)

- DNEL**
- Workers - Inhalation; Long term local effects: 1 mg/m<sup>3</sup>
  - Workers - Dermal; Long term systemic effects: 0.13 mg/cm<sup>2</sup>
  - General population - Inhalation; Long term local effects: 0.25 mg/m<sup>3</sup>
  - General population - Dermal; Long term systemic effects: 0.07 mg/kg/day
  - General population - Oral; Long term systemic effects: 0.06 mg/kg/day

- PNEC**
- Fresh water; 0.02 mg/l
  - marine water; 0.002 mg/l
  - STP; 100 mg/l
  - Sediment (Freshwater); 0.092 mg/kg
  - Sediment (Marinewater); 0.009 mg/kg
  - Soil; 0.007 mg/kg

### BRONOPOL (INN) (CAS: 52-51-7)

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

### DNEL

Workers - Inhalation; Long term systemic effects: 4.1 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term systemic effects: 12.3 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term local effects: 4.2 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term local effects: 4.2 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day  
 Workers - Dermal; Short term systemic effects: 7 mg/kg/day  
 Workers - Dermal; Long term local effects: 0.013 mg/cm<sup>2</sup>  
 Workers - Dermal; Short term local effects: 0.013 mg/cm<sup>2</sup>  
 General population - Inhalation; Long term systemic effects: 1.2 mg/m<sup>3</sup>  
 General population - Inhalation; Short term systemic effects: 3.7 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 1.3 mg/m<sup>3</sup>  
 General population - Inhalation; Short term local effects: 1.3 mg/m<sup>3</sup>  
 General population - Dermal; Long term systemic effects: 1.4 mg/kg/day  
 General population - Dermal; Short term systemic effects: 4.2 mg/kg/day  
 General population - Dermal; Long term local effects: 0.008 mg/cm<sup>2</sup>  
 General population - Dermal; Short term local effects: 0.008 mg/cm<sup>2</sup>  
 General population - Oral; Long term systemic effects: 0.35 mg/kg/day  
 General population - Oral; Short term systemic effects: 1.1 mg/kg/day

### PNEC

- Fresh water; 0.01 mg/l  
 - marine water; 0.008 mg/l  
 - Intermittent release; 0.0025 mg/l  
 - STP; 0.43 mg/l  
 - Sediment (Freshwater); 0.041 mg/kg  
 - Sediment (Marinewater); 0.00328 mg/kg  
 - Soil; 0.5 mg/kg

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.

### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.

### Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

### Respiratory protection

Respiratory protection not required.

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

**Environmental exposure controls** Avoid releasing into the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Green.
<b>Odour</b>	Perfumed.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	pH (concentrated solution): 7.5
<b>Relative density</b>	1.015 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

**Other information** Not relevant.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

<b>Notes (dermal LD<sub>50</sub>)</b>	Calculation method. Based on available data the classification criteria are not met.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Irritation of eyes is assumed. Calculation method.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Does not contain any substances known to be mutagenic.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Does not contain any substances known to be carcinogenic.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Does not contain any substances known to be toxic to reproduction.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b>General information</b>	This product has low toxicity.
<b>Ingestion</b>	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
<b>Skin contact</b>	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.
<b>Eye contact</b>	Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

### Toxicological information on ingredients.

#### C12-14-ALKYL ETHER SULFATES

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 4,100.0  
mg/kg)

Species Rat

ATE oral (mg/kg) 4,100.0

##### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0  
mg/kg)



## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

<b>Species</b>	Rat
<b>ATE dermal (mg/kg)</b>	2,001.0

### SECTION 12: Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

#### 12.1. Toxicity

**Toxicity** The product contains a substance which is harmful to aquatic organisms.

#### Ecological information on ingredients.

##### C12-14-ALKYL ETHER SULFATES

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 7.2 mg/l, Daphnia magna  
REACH dossier information.

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)  
REACH dossier information.

**Chronic toxicity - aquatic invertebrates** NOEC, 21 days: 0.27 mg/l, Daphnia magna  
REACH dossier information.

#### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

##### C12-14-ALKYL ETHER SULFATES

**Biodegradation** Expected to be readily biodegradable.  
Water - Degradation 100%: 28 days  
REACH dossier information.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

#### Ecological information on ingredients.

##### C12-14-ALKYL ETHER SULFATES

**Bioaccumulative potential** The product is not bioaccumulating.

**Partition coefficient** log Pow: ~ 0.3 REACH dossier information.

#### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

#### Ecological information on ingredients.

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

### C12-14-ALKYL ETHER SULFATES

**Mobility** The product is soluble in water.

**Adsorption/desorption coefficient** - Log Koc: 0.34 @ °F

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

### C12-14-ALKYL ETHER SULFATES

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**General information** Do not discharge into drains or watercourses or onto the ground.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

### **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78 and the IBC Code**

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
<b>EU legislation</b>	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Commission Regulation (EU) No 453/2010 of 20 May 2010.</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p> <p>Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.</p> <p>Commission Regulation (EU) No 2015/830 of 28 May 2015.</p>
<b>Guidance</b>	<p>Workplace Exposure Limits EH40.</p> <p>ECHA Guidance on the Application of the CLP Criteria.</p> <p>ECHA Guidance on the compilation of safety data sheets.</p> <p>COSHH Essentials.</p> <p>Technical Guidance WM2: Hazardous Waste.</p>

#### 15.2. Chemical safety assessment

No information available.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>DNEL: Derived No Effect Level.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</p>
<b>Revision comments</b>	New revision number applied to comply with 'Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	02/11/2018
<b>Revision</b>	5
<b>Supersedes date</b>	05/09/2018
<b>SDS number</b>	20499
<b>Risk phrases in full</b>	<p>Not classified.</p> <p>R21/22 Harmful in contact with skin and if swallowed.</p> <p>R22 Harmful if swallowed.</p> <p>R37/38 Irritating to respiratory system and skin.</p> <p>R38 Irritating to skin.</p> <p>R41 Risk of serious damage to eyes.</p> <p>R50 Very toxic to aquatic organisms.</p>

## 5L CLEANLINE ORIGINAL WASHING UP LIQUID

### Hazard statements in full

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.