according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GOJO® Antibacterial Foam Soap

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Antibacterial Soap

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : GOJO Industries-Europe Ltd.

Units 5 & 6, Stratus Park

MK10 0DE Brinklow, Milton Keynes

Telephone : +44(0) 1908588444

Telefax : +44(0) 1908588445

E-mail address of person

responsible for the SDS

: infoUK@gojo.com

1.4 Emergency telephone number

+44(0) 8445605135

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting

effects.

Classification (67/548/EEC, 1999/45/EC)

Irritant R41: Risk of serious damage to eyes.

Dangerous for the environment R50/53: Very toxic to aquatic organisms, may

cause long-term adverse effects in the aquatic

environment.

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version MSDS Number: Date of last issue: 17.04.2015 Revision Date: 03.06.2015 31760-00006 Date of first issue: 24.11.2014 2.1

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

Causes serious eye damage. H318

Very toxic to aquatic life with long lasting H410

effects.

Precautionary statements Prevention:

> Keep away from heat, hot surfaces, sparks, P210

> > open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed. Avoid release to the environment. P273

Wear protective gloves/ protective clothing/ P280

eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

> with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Dodecanoic acid

2.3 Other hazards

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Ethanol	64-17-5 200-578-6	F; R11 Xi; R36	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 3 - < 10
Dodecanoic acid	143-07-7 205-582-1	N; R51/53 Xi; R41	Eye Dam. 1; H318 Aquatic Chronic 3;	>= 5 - < 10

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

			H412	
Ethanolamine	141-43-5 205-483-3	C; R34 Xn; R20/21/22	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Chronic 3; H412	>= 2.5 - < 5
Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl] -1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts	68650-39-5 272-043-5	Xi; R41	Eye Dam. 1; H318	>=1-<3
I-(+)-Lactic acid	79-33-4 201-196-2	Xi; R41-R37/38	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 1 - < 3
Triclosan	3380-34-5 222-182-2	Xi; R36/38 N; R50/53	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not use a solid water stream as it may scatter and spread

fire

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Use personal protective equipment.

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

Follow safe handling advice and personal protective equip-

ment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

> Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and

sources of ignition.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (particles)	10 mg/m3	GB EH40
. , , , ,				
Further information	Where no specific short-term exposure limit is listed, a figure three times the			
	long-term exposure should be used			
		TWA (Total va-	150 ppm	GB EH40
		pour and parti-	474 mg/m3	
		cles)	_	
Further information	Where no specific short-term exposure limit is listed, a figure three times the			
	long-term exposure should be used			
Ethanol	64-17-5	TWA	1,000 ppm	GB EH40
			1,920 mg/m3	
Further information	Where no specific short-term exposure limit is listed, a figure three times the			
	long-term exposure should be used			
Ethanolamine	141-43-5	TWA	1 ppm	2006/15/EC
			2.5 mg/m3	

Ethanol

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	3 ppm	2006/15/EC
			7.6 mg/m3	
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	1 ppm	GB EH40
			2.5 mg/m3	
Further information	Can be absorbed through skin. The assigned substances are those for which			
	there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	3 ppm	GB EH40
			7.6 mg/m3	
Further information	Can be absorbed through skin. The assigned substances are those for which			
	there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Propylene glycol : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 10 mg/m3 End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 168 mg/m3 End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 10 mg/m3 End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 50 mg/m3 End Use: Workers

Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 1900 mg/m3 End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 343 mg/kg bw/day

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 950 mg/m3 End Use: Consumers Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 950 mg/m3 End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 206 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 114 mg/m3

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

End Use: Consumers
Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 87 mg/kg bw/day

Dodecanoic acid : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 17.632 mg/m3 End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 10 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 4.348 mg/m3 End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 5 mg/kg bw/day End Use: Consumers Value: 2.5 mg/kg bw/day

Ethanolamine : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 3.3 mg/m3 End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 1 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 2 mg/m3 End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 0.24 mg/kg bw/day End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 3.75 mg/kg bw/day

I-(+)-Lactic acid : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 592 mg/m3 End Use: Consumers Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 296 mg/m3 End Use: Consumers Exposure routes: Ingestion

Potential health effects: Acute systemic effects

Value: 35.4 mg/kg bw/day

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Triclosan : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 3 mg/m3 End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 2.8 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Propylene glycol : Fresh water

Value: 260 mg/l Marine water Value: 26 mg/l

Intermittent use/release

Value: 183 mg/l

Sewage treatment plant Value: 20000 mg/l Fresh water sediment Value: 572 mg/kg Marine sediment Value: 57.2 mg/kg

Soil

Value: 50 mg/kg

Ethanol : Fresh water

Value: 0.96 mg/l Marine water Value: 0.79 mg/l Intermittent use/release

Value: 2.75 mg/l

Sewage treatment plant

Value: 580 mg/l Fresh water sediment Value: 3.6 mg/kg Marine sediment Value: 2.9 mg/kg

Soil

Value: 0.63 mg/kg

Oral

Value: 720 mg/kg

Dodecanoic acid : Fresh water

Value: 0.047 mg/l Marine water Value: 0.0047 mg/l Intermittent use/release Value: 0.036 mg/l Sewage treatment plant

Value: 912 mg/l Fresh water sediment Value: 4.09 mg/kg Marine sediment Value: 0.409 mg/kg

Soil

Value: 0.7906 mg/kg

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Ethanolamine : Fresh water

Value: 0.085 mg/l Marine water Value: 0.0085 mg/l Intermittent use/release Value: 0.028 mg/l Sewage treatment plant Value: 100 mg/l Fresh water sediment Value: 0.434 mg/kg Marine sediment Value: 0.0434 mg/kg

Soil

Value: 0.0367 mg/kg

I-(+)-Lactic acid : Fresh water

Value: 1.3 mg/l

Sewage treatment plant

Value: 10 mg/l

Triclosan : Fresh water

Value: 0.00007 mg/l Marine water Value: 0.0069 µg/l Intermittent use/release Value: 0.000016 mg/l Sewage treatment plant Value: 0.11 mg/l Fresh water sediment Value: 1 mg/kg Marine sediment

Soil

Value: 0.196 mg/kg

Value: 0.1 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Hand protection

Material : Impervious gloves

Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Wear the following personal protective equipment:

Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear, Colorless to pale yellow

Odour : slight alcoholic

Odour Threshold : No data available

pH : 7.8 - 9.7

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

Flash point : 56.00 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.00 g/cm3

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10 - 20 mm2/s (20.00 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Dodecanoic acid:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.162 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,515 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Test atmosphere: vapour Method: Expert judgement

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): 1,025 mg/kg

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Acute oral toxicity : LD50 (Rat, female): 3,543 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.94 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Triclosan:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 6,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Components:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Dodecanoic acid:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Ethanolamine: Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

I-(+)-Lactic acid: Species: Rabbit

Result: Skin irritation

Triclosan:

Species: Rabbit Method: Draize Test Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritation to eyes, reversing within 21 days

Dodecanoic acid:

Species: Rabbit

Method: OECD Test Guideline 405 Result: Irreversible effects on the eye

Ethanolamine:

Species: Rabbit

Result: Irreversible effects on the eye

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rabbit

Method: OECD Test Guideline 405 Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Species: Chicken eye

Result: Irreversible effects on the eye

Triclosan:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

Ethanol:

Test Type: Local lymph node assay (LLNA)

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Exposure routes: Skin contact

Species: Mouse Result: negative

Dodecanoic acid:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Ethanolamine:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig Result: negative

Triclosan:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Dodecanoic acid:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

Result: negative

Remarks: Based on data from similar materials

Ethanolamine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: Based on data from similar materials

: Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation

Result: negative

Triclosan:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

: Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: Equivocal

: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 31760-00006 Date of first issue: 24.11.2014 2.1 03.06.2015

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

I-(+)-Lactic acid: Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

Remarks: Based on data from similar materials

Triclosan:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Method: OECD Test Guideline 453

Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Dodecanoic acid:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

: Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Ethanolamine:

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Triclosan:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment: May cause respiratory irritation.

I-(+)-Lactic acid:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Exposure routes: inhalation (dust/mist/fume)

Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d

or less.

Repeated dose toxicity

Components:

Ethanol: Species: Rat

NOAEL: 2,400 mg/kg

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

Application Route: Ingestion

Exposure time: 2 y

Dodecanoic acid:

Species: Rat

NOAEL: 10,000 mg/kg Application Route: Ingestion

Exposure time: 18 w

Ethanolamine:

Species: Rat

NOAEL: 150 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 28 d

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rat, female NOAEL: 250 mg/kg LOAEL: 500 mg/kg

Application Route: Ingestion

Exposure time: 28 d

Remarks: Based on data from similar materials

I-(+)-Lactic acid: Species: Rat

NOAEL: >= 886 mg/kg

Application Route: Skin contact

Exposure time: 13 w

Triclosan:

Species: Rat NOAEL: 33 mg/kg LOAEL: 107 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Species: Rat

NOAEL: >= 80 mg/kg

Application Route: Skin contact

Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: NOEC: 9.6 mg/l Exposure time: 9 d

Species: Daphnia magna (Water flea)

Dodecanoic acid:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to bacteria : EC10 (Pseudomonas putida): > 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

: NOEC: 2 mg/l

Exposure time: 28 d

Species: Danio rerio (zebra fish)

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

: NOEC: 0.47 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

Ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 65 mg/l

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

aquatic invertebrates Exposure time: 48 h

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l

Exposure time: 72 h

NOEC (Scenedesmus capricornutum (fresh water algae)): 1

mg/l

Exposure time: 72 h

Toxicity to bacteria : EC50 (Pseudomonas putida): 110 mg/l

Exposure time: 17 h

Toxicity to fish (Chronic tox-

icity)

: NOEC: 1.24 mg/l Exposure time: 41 d

Species: Oryzias latipes (Orange-red killifish)

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: NOEC: 0.85 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 17.9 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2

mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): 10

mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 250 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Selenastrum capricornutum (fresh water algae)): 1.9

g/l

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Selenastrum capricornutum (fresh water algae)): 3.5 g/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 : > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Triclosan:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 0.54 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.191 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 0.69 μg/l

Exposure time: 96 h

EC50 (Desmodesmus subspicatus (green algae)): 1.61 µg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

: 100

Toxicity to bacteria : EC50 : 11 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0.034 mg/l Exposure time: 96 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: NOEC: 0.026 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 100

12.2 Persistence and degradability

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable

Biodegradation: 84 % Exposure time: 20 d

Dodecanoic acid:

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

Biodegradability : Result: Readily biodegradable

Biodegradation: 86 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Ethanolamine:

Biodegradability : Result: Readily biodegradable

Biodegradation: > 90 % Exposure time: 21 d

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Biodegradability : Result: Readily biodegradable

Biodegradation: 79 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 67 % Exposure time: 20 d

Triclosan:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 18 - 37 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

Result: Inherently biodegradable.

Biodegradation: 99.4 % Exposure time: 14 d

Method: OECD Test Guideline 302B

Result: Not readily biodegradable.

Biodegradation: 18.6 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.35

Dodecanoic acid:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 234 - 288 Remarks: Based on data from similar materials

Partition coefficient: n-

octanol/water

: Pow: 4.6

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 17.04.2015

 2.1
 03.06.2015
 31760-00006
 Date of first issue: 24.11.2014

Ethanolamine:

Partition coefficient: n-

octanol/water

: log Pow: -1.91

I-(+)-Lactic acid:

Partition coefficient: n-

octanol/water

: log Pow: -0.6

Triclosan:

Bioaccumulation : Species: Zebrafish

Bioconcentration factor (BCF): 2,532 - 4,157

Method: OECD Test Guideline 305C

Partition coefficient: n-

octanol/water

: log Pow: 4.8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

ADN : UN 1170
ADR : UN 1170
RID : UN 1170
IMDG : UN 1170
IATA : UN 1170

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

14.2 UN proper shipping name

ADN : ETHYL ALCOHOL SOLUTION
ADR : ETHYL ALCOHOL SOLUTION
RID : ETHYL ALCOHOL SOLUTION
IMDG : ETHYL ALCOHOL SOLUTION

(Triclosan)

IATA : Ethanol solution

14.3 Transport hazard class(es)

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA

Packing instruction (cargo : 366

aircraft)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

: Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-

accident hazards involving dangerous substances

9a Dangerous for the environment Quantity 1 Quantity 2
200 t

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

P5c FLAMMABLE LIQUIDS 5,000 t 50,000 t

34 Petroleum products: (a) 2,500 t 25,000 t

gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

> blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 15 %

The components of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of R-Phrases

R11 : Highly flammable.

R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.

R34 : Causes burns. R36 : Irritating to eyes.

R36/38 : Irritating to eyes and skin.

R37/38 : Irritating to respiratory system and skin.

R41 : Risk of serious damage to eyes.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R51/53 : Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006



GOJO® Antibacterial Foam Soap

Version Revision Date: MSDS Number: Date of last issue: 17.04.2015 2.1 03.06.2015 31760-00006 Date of first issue: 24.11.2014

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

2006/15/EC : Europe. Indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2006/15/EC / TWA : Limit Value - eight hours 2006/15/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

Further information

Sources of key data used to compile the Safety Data

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN