

GREASELIFT**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : GREASELIFT
Product code : 115837E
Use of the Substance/Mixture : Grill Cleaner
Substance type: : Mixture

For professional users only.

Product dilution information : 17 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Oven/Grill Cleaner. Manual process
Oven/Grill Cleaner. Spray and wipe manual process
Kitchen cleaner. Manual process
Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.
PO Box 11; Winnington Avenue
Northwich, Cheshire, United Kingdom CW8 4DX
+ 44 (0)1606 74488
ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone number : Food & Beverage, Institutional, Agriculture, Textile Hygiene:
Northwich: +44 (0)1606 74488
Healthcare Leeds: +44 (0)113 232 2480
Healthcare Swansea: +44 (0)1252 717616
Poison Information Centre telephone number : Not Available
Date of Compilation/Revision : 20.04.2015
version : 1.2

Section: 2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008)

Product AS SOLD

Skin corrosion, Category 1A H314
Specific target organ toxicity - single exposure, Category 3, Respiratory system H335

GREASELIFT

Product AT USE DILUTION

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Product AS SOLD

C; CORROSIVE

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

R20/22

R35

R37

Product AT USE DILUTION

The product does not need to be labelled in accordance with EC directives or respective national laws.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Product AS SOLD

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H314
H335

Causes severe skin burns and eye damage.
May cause respiratory irritation.

Precautionary Statements

: **Prevention:**
P280

Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Hazardous components which must be listed on the label:

2-(2-aminoethoxy)ethanol
isopropanolamine
monoethanolamine

Product AT USE DILUTION

Not a hazardous substance or mixture.

Additional Labelling:

GREASELIFT

Product AS SOLD

2.3 Other hazards

Product AS SOLD

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Product AS SOLD

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Benzyl alcohol	100-51-6 202-859-9 01-2119492630-38	Xn; R20/22	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332	>= 30 - < 50
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6	Xi; R36	Eye irritation Category 2; H319	>= 5 - < 10
9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)	2272-11-9 218-878-0	Xi; R36	Eye irritation Category 2; H319	>= 5 - < 10
Poly(oxy-1,2-ethanediyl), .alpha-(phenylmethyl)-.omega.-hydroxy-	26403-74-7	Xi; R36	Eye irritation Category 2; H319	>= 5 - < 10
2-(2-aminoethoxy)ethanol	929-06-6 213-195-4	C; R34-R37	Skin corrosion Category 1C; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335	>= 5 - < 10
ABS salt (alkylbenzene sulfonic acid salt)	68584-27-0 271-534-1	R22-R36	Acute toxicity Category 4; H302 Eye irritation Category 2; H319	>= 3 - < 5
triethanolamine	102-71-6 203-049-8 01-2119486482-31	Xi; R36	Eye irritation Category 2; H319	>= 3 - < 5
alkylethersulphates	68891-38-3 500-234-8 01-2119488639-16	Xi; R38-R41	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 3 - < 5
isopropanolamine	78-96-6 201-162-7	C; R34	Skin corrosion Category 1B; H314	>= 2.5 - < 5
monoethanolamine	141-43-5 205-483-3 01-2119486455-28	C; R34- R20/21/22-R37	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Acute toxicity Category 4; H312 Skin corrosion Category 1B;	>= 2.5 - < 5

GREASELIFT

			H314 Specific target organ toxicity - single exposure Category 3; H335	
--	--	--	---	--

Product AT USE DILUTION
Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Benzyl alcohol	100-51-6 202-859-9 01-2119492630-38	Xn; R20/22	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332	>= 5 - < 10
2-(2- butoxyethoxy)ethano l	112-34-5 203-961-6	Xi; R36	Eye irritation Category 2; H319	>= 1 - < 2.5
9-octadecenoic acid (z)-, compd. with 2- aminoethanol (1:1)	2272-11-9 218-878-0	Xi; R36	Eye irritation Category 2; H319	>= 1 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.
For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Product AT USE DILUTION

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.

GREASELIFT

If swallowed : Rinse mouth. Get medical attention if symptoms occur.
If inhaled : Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Product AS SOLD

Advice for non-emergency personnel : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

GREASELIFT

materials.

Product AT USE DILUTION

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Product AS SOLD

Environmental precautions : Do not allow contact with soil, surface or ground water.

Product AT USE DILUTION

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Product AS SOLD

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

GREASELIFT

Hygiene measures : Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Product AS SOLD

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

Product AT USE DILUTION

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

7.3 Specific end uses

Product AS SOLD

Specific use(s) : Oven/Grill Cleaner. Manual process
Oven/Grill Cleaner. Spray and wipe manual process
Kitchen cleaner. Manual process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Product AS SOLD

Occupational Exposure Limits

CAS-No.	Components	Value type (Form of exposure)	Control parameters	Update	Basis
112-34-5	2-(2-butoxyethoxy) ethanol	TWA	10 ppm 67.5 mg/m3	2007-08-01	UKCOSSTD
		STEL	15 ppm 101.2 mg/m3	2007-08-01	UKCOSSTD
141-43-5	monoethanolamine	TWA	1 ppm 2.5 mg/m3	2007-08-01	UKCOSSTD
		STEL	3 ppm 7.6 mg/m3	2007-08-01	UKCOSSTD

DNEL

triethanolamine	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 5 mg/m3
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 5 mg/m3
		End Use: Workers Exposure routes: Dermal

GREASELIFT

	Potential health effects: Long-term systemic effects Value: 6.3 mg/cm ²
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 1.25 mg/m ³
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1.25 mg/m ³
	End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 3.1 mg/cm ²
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 13 ppm

PNEC

triethanolamine	:	Fresh water Value: 0.32 mg/l
		Marine water Value: 0.032 mg/l
		Intermittent use/release Value: 5.12 mg/l
		Fresh water sediment Value: 1.7 mg/kg
		Marine sediment Value: 1.7 mg/kg
		Sewage treatment plant Value: 10 mg/l
		Soil Value: 0.151 mg/kg

8.2 Exposure controls

Product AS SOLD

Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

GREASELIFT

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

- Eye/face protection (EN 166) : Safety goggles
Face-shield
- Hand protection (EN 374) : Wear the following personal protective equipment:
Nitrile rubber
butyl-rubber
Impervious gloves
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Product AT USE DILUTION

Appropriate engineering controls

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Eye/face protection (EN 166) : No special protective equipment required.
- Hand protection (EN 374) : No special protective equipment required.
- Skin and body protection (EN 14605) : No special protective equipment required.
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Environmental exposure controls

- General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

GREASELIFT

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: clear, orange	light orange
Odour	: slight	slight
pH	: 10.5 - 11.5, 100 %	10.1 - 10.9
Flash point	: 96 °C closed cup, Does not sustain combustion.	
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Relative density	: 1.04 - 1.06	
Water solubility	: Not applicable and/or not determined for the mixture	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

GREASELIFT

None known.

10.5 Incompatible materials

Acids
Metals

10.6 Hazardous decomposition products

Decomposition products may include the following materials:

Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product AS SOLD

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity : 4 h Acute toxicity estimate : > 20 mg/l
Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg
Skin corrosion/irritation : There is no data available for this product.
Serious eye damage/eye irritation : There is no data available for this product.
Respiratory or skin sensitization : There is no data available for this product.
Carcinogenicity : There is no data available for this product.
Reproductive effects : There is no data available for this product.
Germ cell mutagenicity : There is no data available for this product.
Teratogenicity : There is no data available for this product.
STOT - single exposure : There is no data available for this product.
STOT - repeated exposure : There is no data available for this product.
Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Benzyl alcohol
LD50 rat: 1,620 mg/kg

GREASELIFT

2-(2-butoxyethoxy)ethanol
LD50 rat: 3,306 mg/kg

9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)
LD50 rat: > 2,000 mg/kg

Poly(oxy-1,2-ethanediyl), .alpha.-(phenylmethyl)-.omega.-hydroxy-
LD50 rat: > 2,000 mg/kg

ABS salt (alkylbenzene sulfonic acid salt)
LD50 rat: 1,249 mg/kg

triethanolamine
LD50 rat: 6,400 mg/kg

alkylethersulphates
LD50 rat: 3,350 mg/kg

isopropanolamine
LD50 rat: > 2,000 mg/kg

monoethanolamine
LD50 rat: 1,089 mg/kg

Components

Acute inhalation toxicity : ABS salt (alkylbenzene sulfonic acid salt)
4 h LC50 rat: > 1.9 mg/l

isopropanolamine
4 h LC50 rat: > 5.19 mg/l

monoethanolamine
4 h LC50 rat: > 1.6 mg/l

Components

Acute dermal toxicity : Benzyl alcohol
LD50 rabbit: 2,000 mg/kg

2-(2-butoxyethoxy)ethanol
LD50 rabbit: 2,764 mg/kg

9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)
LD50 rabbit: > 2,000 mg/kg

alkylethersulphates
LD50 rabbit: 8,000 mg/kg

monoethanolamine
LD50 rabbit: 1,025 mg/kg

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

GREASELIFT

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD

12.1 Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Benzyl alcohol
96 h LC50 Fish: > 100 mg/l

2-(2-butoxyethoxy)ethanol
96 h LC50 Fish: 1,300 mg/l

GREASELIFT

9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)
96 h LC50 Fish: 7.44 mg/l

Poly(oxy-1,2-ethanediyl), .alpha.-(phenylmethyl)-.omega.-hydroxy-
96 h LC50: > 100 mg/l

ABS salt (alkylbenzene sulfonic acid salt)
96 h LC50 Fish: 5.07 mg/l

triethanolamine
96 h LC50: 11,800 mg/l

alkylethersulphates
96 h LC50 Fish: 7.1 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : triethanolamine
48 h EC50: 609.88 mg/l

monoethanolamine
48 h EC50 Daphnia: 65 mg/l

Components

Toxicity to algae : triethanolamine
72 h EC50: > 100 mg/l

isopropanolamine
72 h EC50: 32.7 mg/l

12.2 Persistence and degradability

Product

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

Components

Biodegradability : Benzyl alcohol
Result: Readily biodegradable.

2-(2-butoxyethoxy)ethanol
Result: Not applicable.

Poly(oxy-1,2-ethanediyl), .alpha.-(phenylmethyl)-.omega.-hydroxy-
Result: Readily biodegradable.

triethanolamine
Result: Readily biodegradable.

monoethanolamine
Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

GREASELIFT

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product AS SOLD

Product : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

European Waste Catalogue : 200113* - solvents

Product AT USE DILUTION

Product : Diluted product can be flushed to sanitary sewer.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

- 14.1 UN number : 3267
- 14.2 UN proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(2-(2-aminoethoxy)ethanol, isopropanolamine)
- 14.3 Transport hazard class(es) : 8
- 14.4 Packing group : III

GREASELIFT

14.5 Environmental hazards : No
14.6 Special precautions for user : None

Air transport (IATA)

14.1 UN number : 3267
14.2 UN proper shipping name : Corrosive liquid, basic, organic, n.o.s.
(2-(2-aminoethoxy)ethanol, isopropanolamine)
14.3 Transport hazard class(es) : 8
14.4 Packing group : III
14.5 Environmental hazards : No
14.6 Special precautions for user : None

Sea transport (IMDG/IMO)

14.1 UN number : 3267
14.2 UN proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(2-(2-aminoethoxy)ethanol, isopropanolamine)
14.3 Transport hazard class(es) : 8
14.4 Packing group : III
14.5 Environmental hazards : No
14.6 Special precautions for user : None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Product AT USE DILUTION

Not intended for transport.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Anionic surfactants, Soap
less than 5 %: Non-ionic surfactants
Allergens:
Benzyl alcohol

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.
The Control of Substances Hazardous to Health Regulations.
Health and Safety at Work Act.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

GREASELIFT

Section: 16. OTHER INFORMATION

Full text of R-Phrases

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R20/22	Harmful by inhalation and if swallowed.
R22	Harmful if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.

Full text of H-Statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Full text of other abbreviations

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ANNEX: EXPOSURE SCENARIOS

DPD+ Substances:

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Ingestion	Benzyl alcohol	100-51-6	202-859-9
Inhalation	2-(2-aminoethoxy)ethanol	929-06-6	213-195-4
Dermal	2-(2-aminoethoxy)ethanol	929-06-6	213-195-4
Eyes	2-(2-aminoethoxy)ethanol	929-06-6	213-195-4
aquatic environment	No lead substance		

GREASELIFT**Physical properties DPD+ Substances:**

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
Benzyl alcohol	0.09 hPa	44 g/l	11.48	

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

www.ecetoc.org/tra

Short title of Exposure Scenario : **Oven/Grill Cleaner. Manual process**

Use descriptors

Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories : **PROC10:** Roller application or brushing

Product categories : **PC35:** Washing and cleaning products (including solvent based products)

Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems

Short title of Exposure Scenario : **Oven/Grill Cleaner. Spray and wipe manual process**

Use descriptors

Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories : **PROC10:** Roller application or brushing
PROC11: Non industrial spraying

Product categories : **PC35:** Washing and cleaning products (including solvent based products)

Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems

GREASELIFT

Short title of Exposure Scenario : **Kitchen cleaner. Manual process**

Use descriptors

Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories : **PROC10:** Roller application or brushing
PROC8a: Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities

Product categories : **PC35:** Washing and cleaning products (including solvent based products)

Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems