

Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product Identifier

Product Name Clinell Alcohol Wipes

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use Disinfecting wipes

1.3 Details of the supplier of the safety data sheet

Supplier GAMA Healthcare Ltd

2 Regal Way Watford WD24 4YJ United Kingdom

Tel: +44 (0) 207 993 0030

Email: info@gamahealthcare.com

1.4 Emergency telephone number

Tel: +44 (0) 207 9930 035

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No

1272/2008

Classification according Flam. Liq 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336.

Classification according F; R11, Xi; R36, R67 to Directive 1999/45/EEC

2.2 Label Elements





Signal Word Danger

Hazard statements Highly flammable liquid and vapour

Causes serious eye damage

Vapours may cause drowsiness or dizziness

Precautionary statements



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Declarable components	Conc. (%)	EC No.	CAS No.	Classification	
				67/548/EEC	1272/2008
Propan-2-ol	70	200-661-7	67-63-0	F; R11, Xi; R36, R67	Flam Liq. 2, H225;
					Eye Irrit. 2, H319;
					STOT SE 3, H336

For the full test of all R-Phrases and Hazard Statements are available in Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove from source of exposure and into fresh air. If discomfort persists, seek medical advice.

Skin

Unlikely to cause symptoms under normal use but if signs of irritation or discomfort occur seek medical advice

Eve

Flush eye with running water for 15 minutes. If irritation persists seek medical advice.

Ingestion

Unlikely due to physical properties of product. Do not induce vomiting. Seek medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause eye damage. Vapours may cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptoms as they occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Alcohol resistant foam or dry chemical.

5.2 Special hazards arising from the substance or mixture

Highly flammable. Vapour may travel to reach remote ignition sources. Combustion emits toxic fumes including carbon dioxide and carbon monoxide.

5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing should be worn.



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition. If packaging is broken appropriate PPE should be worn.

6.2 Environmental precautions

Prevent from entering waterways. Contain using bunding.

6.3 Methods and material for containment and cleaning up

For large releases, absorb into dry earth and transfer into containers. Wash spill site with water.

6.4 Reference to other sections

For recommended personal protective equipment see Section 8.

For disposal considerations see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from ignition sources. Use in ventilated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool, dry area away from direct sunlight and ignition sources. Keep container closed tightly.

7.3 Specific end use

Identified in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

EU Limit None

UK Limit Long term exposure limit (8h), 999 mg/m³ (400ppm); short

term exposure limit (15min), 1250 mg/m³ (500ppm)

8.2 Exposure controls

Engineering controls

Ensure there is sufficient ventilation of the area. Ensure all ignition sources are removed.

Personal protective equipment

The need for personal protective equipment should be based on a workplace risk assessment for the particular use. Avoid skin and eye contain by wearing safety goggles and protective gloves.



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

Environmental exposure controls

Not available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Moist wipe saturated with colourless liquid

Odour Alcoholic

Odour threshold Not available

pH 7-7.5

Melting/freezing point -88 to -90°C (propan-2-ol)
Initial boiling point/range 82 to 83°C (propan-2-ol)

Flash point ca. 18°C (70% propan-2-ol)

Evaporation rate (n-butly acetate = 1): 2.2 (propan-2-ol)

Flammability (solid, gas) Not applicable

Flammability or explosive limits Lower: 2% Upper: 12%

Vapour pressure ca. 42 hPa at 20°C (propan-2-ol)

Relative density (Air = 1) > 1 at 101 kPa

Solubility Water soluble

Partition coef Not available

Auto-ignition temperature Not available

Decomposition temperature Not available

Viscosity Not available

Explosive properties Vapours may form explosive mixtures with air

Oxidising properties Not available

9.2 Other information Not available



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

SECTION 10: Stability and reactivity

10.1 Reactivity

Not available

10.2 Chemical stability

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

Not available

10.4 Conditions to avoid

Heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Aldehydes, amines, strong oxidisers, caustics, chlorinated compounds, alkanolamines

10.6 Hazardous decomposition products

In combustion emits toxic fumes (carbon dioxide and carbon monoxide)

SECTION 11: Toxicological information

11.1 Information of toxicological effects

Based on 100% propan-2-ol

Acute toxicity

Oral: Rat LD50 4700-5500 mg/kg Inhalation: Rat LC50 29-55 mg/l (8hr) Dermal: Rabbit LD50 12800 mg/kg

Irritancy

Classified as an eye irritant.

Corrosivity

Not classified

Sensitisation

Not classified

Repeated dose toxicity

Not classified

Carcinogeicity

Not classified

Mutagenicity

Not classified



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

Toxicity for reproduction

Not classified

SECTION 12: Ecological information

12.1 Toxicity

Not expected to be hazardous to aquatic organisms

12.2 Persistence and degradability

Biodegradable

12.3 Bioaccumulative potential

No bioaccumulation potential

12.4 Mobility in soil

Expected to remain in water or migrate through soil

12.5 Results of PBT and vPVP assessment

Not available

12.6 Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For large scale industrial use, the liquid should be disposed of by incineration. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC.

SECTION 14: Transport Information

14.1 UN Number

3175 with special provisions: IATA A46, ADR 216 & 274, IMDG 216 & 274.

14.2 UN Proper Shipping Name

SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (propan-2-ol)

14.3 Transport hazard class(es)

4.1

14.4 Packing groups

Ш

14.5 Environmental hazards

Not marine pollutant/environmentally hazardous



Clinell Alcohol Wipes

According to Regulation (EU) No 453/2010

Issue Date: 27th April 2016 Version Number: 3

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture Classification and Labelling of Substances and Preparation Dangerous for Supply. Workplace Exposure Limits EH40. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006 with amendments.

15.2 Chemical safety assessment

Not available

SECTION 16: Other Information

Revisions

This is the third revision.

Basis of classification

The mixture is self-classified on the basis of available information on the ingredients

List of R-phrases

F: Flammable, Xi: Irritant, R11: Highly Flammable, R36: irritating to the eyes, R67: Vapours may cause drowsiness or dizziness.

List of hazard statements

H225: Highly flammable liquid and vapour, H319: Causes serious eye irritation, H336: May cause drowsiness or dizziness.

Disclaimer: This information is furnished without warranty express or implied, except that it is accurate to the best of our knowledge.

It relates to the specific material designated herein, and does not relate to the use in combination with any other material or in any process. We assume no legal responsibility for use or reliance upon this information.