



**Oxivir Excel®**

Revision: 2018-07-08

Version: 01.2

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: Oxivir Excel®

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses:**

For professional use only.

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

AISE-P1103 - Medical devices. Manual process

AISE-P1104 - Medical devices. Spray process

Cleaning and disinfection

**Uses advised against:** Uses other than those identified are not recommended

**1.3 Details of the supplier of the safety data sheet**

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

**Contact details**

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

**1.4 Emergency telephone number**

For medical or environmental emergency only:

call 0800 052 0185

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Skin Corr. 1C (H314)

Aquatic Chronic 3 (H412)

Met. Corr. 1 (H290)

**2.2 Label elements**



**Signal word:** Danger.

Contains alkylbenzenesulphonic acid (Dodecylbenzene Sulfonic Acid).

**Hazard statements:**

H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

**Precautionary statements:**

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

**2.3 Other hazards**

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkylbenzenesulphonic acid	287-494-3	85536-14-7	01-2111-9490234-40	Skin Corr. 1C (H314) Acute Tox. 4 (H302) Aquatic Chronic 3 (H412)		10-20
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-2119450011-60	Not classified as hazardous		10-20
hydrogen peroxide	231-765-0	7722-84-1	01-2119485845-22	Ox. Liq. 1 (H271) Skin Corr. 1A (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT SE 3 (H335) Aquatic Chronic 3 (H412)		3-10
methanesulphonic acid	200-898-6	75-75-2	01-2119491166-34	Skin Corr. 1B (H314) Met. Corr. 1 (H290)		1-3
Alcohols, C9-11, ethoxylated	Polymer*	68439-46-3	No data available	Eye Irrit. 2 (H319)		1-3

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General Information:

If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice. Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

##### Inhalation:

Get medical attention or advice if you feel unwell.

##### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

##### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

##### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

##### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Inhalation:

No known effects or symptoms in normal use.

##### Skin contact:

Causes severe burns.

##### Eye contact:

Causes severe or permanent damage.

##### Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

## Oxivir Excel®

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m <sup>3</sup>	150 ppm 924 mg/m <sup>3</sup>
hydrogen peroxide	1 ppm 1.4 mg/m <sup>3</sup>	2 ppm 2.8 mg/m <sup>3</sup>

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkylbenzenesulphonic acid	-	-	-	0.85
(2-methoxymethylethoxy)propanol	-	-	-	1.67
hydrogen peroxide	-	-	-	-
methanesulphonic acid	-	-	-	8.33
Alcohols, C9-11, ethoxylated	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkylbenzenesulphonic acid	-	-	-	170
(2-methoxymethylethoxy)propanol	No data available	-	No data available	65
hydrogen peroxide	-	-	-	-
methanesulphonic acid	No data available	-	No data available	19.44
Alcohols, C9-11, ethoxylated	-	-	-	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
---------------	--------------------	-----------------------	-------------------	----------------------

## Oxivir Excel®

	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
alkylbenzenesulphonic acid	-	-	-	85
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
hydrogen peroxide	-	-	-	-
methanesulphonic acid	No data available	-	No data available	8.33
Alcohols, C9-11, ethoxylated	-	-	-	-

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkylbenzenesulphonic acid	-	-	12	12
(2-methoxymethylethoxy)propanol	-	-	-	310
hydrogen peroxide	3	-	1.4	-
methanesulphonic acid	-	-	2.89	6.76
Alcohols, C9-11, ethoxylated	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkylbenzenesulphonic acid	-	-	3	3
(2-methoxymethylethoxy)propanol	-	-	-	37.2
hydrogen peroxide	1.93	-	0.21	-
methanesulphonic acid	-	1.44	1.73	1.44
Alcohols, C9-11, ethoxylated	-	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkylbenzenesulphonic acid	0.278	0.0287	0.0167	3.43
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
hydrogen peroxide	0.0126	0.0126	0.0138	4.66
methanesulphonic acid	0.012	0.0012	0.12	100
Alcohols, C9-11, ethoxylated	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
alkylbenzenesulphonic acid	0.287	0.287	35	-
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
hydrogen peroxide	0.047	0.047	0.0023	-
methanesulphonic acid	0.0251	-	0.00183	0.12
Alcohols, C9-11, ethoxylated	No data available	No data available	No data available	No data available

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

## Oxivir Excel®

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (%):** 5

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).  
**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear Light Yellow	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> < 2 (neat)	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkylbenzenesulphonic acid	190	Method not given	
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
hydrogen peroxide	150.2	Method not given	
methanesulphonic acid	167	Method not given	
Alcohols, C9-11, ethoxylated	No data available		

**Flash point (°C):** Not applicable.  
**Sustained combustion:** Not applicable.  
*( UN Manual of Tests and Criteria, section 32, L.2 )*  
**Evaporation rate:** Not determined  
**Flammability (solid, gas):** Not determined  
**Upper/lower flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14

**Method / remark**

**Vapour pressure:** Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkylbenzenesulphonic acid	0.15		20
(2-methoxymethylethoxy)propanol	5500	Method not given	20
hydrogen peroxide	214	Method not given	20
methanesulphonic acid	0.0475	Method not given	20
Alcohols, C9-11, ethoxylated	No data available		

**Method / remark**

**Vapour density:** Not determined  
**Relative density:** ≈ 1.065 (20 °C)  
**Solubility in / Miscibility with Water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
---------------	-------	--------	-------------

	(g/l)		(°C)
alkylbenzenesulphonic acid	> 10	Method not given	20
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
hydrogen peroxide	1000	Method not given	20
methanesulphonic acid	Soluble		
Alcohols, C9-11, ethoxylated	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Method / remark

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**Viscosity:** Not determined  
**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.

#### 9.2 Other information

**Surface tension (N/m):** Not determined  
**Corrosion to metals:** Corrosive

Not relevant to classification of this product  
 UN Manual of Tests and Criteria, section 37

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with alkali and metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): 3200

ATE - Inhalatory, vapours (mg/l): >50

Substance data, where relevant and available, are listed below:

#### Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 1470	Rat	OECD 401 (EU B.1)	
(2-methoxymethylethoxy)propanol	LD <sub>50</sub>	> 4000	Rat	Method not given	
hydrogen peroxide	LD <sub>50</sub>	431-500	Rat	Substance was tested as 35 % aqueous solution Method not given	
methanesulphonic acid	LD <sub>50</sub>	649	Rat	OECD 401 (EU B.1)	
Alcohols, C9-11, ethoxylated		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)	
(2-methoxymethylethoxy)propanol	LD <sub>50</sub>	9510	Rabbit	Method not given	

hydrogen peroxide	LD <sub>50</sub>	> 2000	Rabbit	Substance was tested as 35 % aqueous solution
methanesulphonic acid	LD <sub>50</sub>	> 1000	Rabbit	OECD 402 (EU B.3)
Alcohols, C9-11, ethoxylated		No data available		

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid		No data available			
(2-methoxymethylethoxy)propanol	LC <sub>0</sub>	> 1.667 (vapour) No mortality observed	Rat		7
hydrogen peroxide	LC <sub>0</sub>	No mortality observed	Rat	Method not given	4
methanesulphonic acid	LC <sub>0</sub>	> 0.0188 (vapour) No mortality observed	Mouse	Method not given	1
Alcohols, C9-11, ethoxylated		No data available			

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
hydrogen peroxide	Corrosive	Rabbit	Method not given	
methanesulphonic acid	Corrosive	Mouse		1 hour(s)
Alcohols, C9-11, ethoxylated	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
hydrogen peroxide	Corrosive	Rabbit	Method not given	
methanesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
Alcohols, C9-11, ethoxylated	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	No data available			
(2-methoxymethylethoxy)propanol	No data available			
hydrogen peroxide	Irritating to respiratory tract		Method not given	
methanesulphonic acid	No data available			
Alcohols, C9-11, ethoxylated	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
hydrogen peroxide	Not sensitising	Guinea pig	Method not given	
methanesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Alcohols, C9-11, ethoxylated	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	No data available			
(2-methoxymethylethoxy)propanol	No data available			
hydrogen peroxide	No data available			
methanesulphonic acid	No data available			
Alcohols, C9-11, ethoxylated	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Oxivir Excel®

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkylbenzenesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
hydrogen peroxide	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	Method not given
methanesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
Alcohols, C9-11, ethoxylated	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
alkylbenzenesulphonic acid	No evidence for carcinogenicity, weight-of-evidence
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
hydrogen peroxide	No evidence for carcinogenicity, negative test results
methanesulphonic acid	No data available
Alcohols, C9-11, ethoxylated	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkylbenzenesulphonic acid	NOAEL	Teratogenic effects	300	Rat	Read across	20 day(s)	
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
hydrogen peroxide			No data available				No evidence for reproductive toxicity
methanesulphonic acid	NOAEL	Impaired fertility Developmental toxicity	≥ 400	Rat	OECD 414 (EU B.31), oral OECD 421, oral		No evidence for reproductive toxicity
Alcohols, C9-11, ethoxylated			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
hydrogen peroxide	NOAEL	100	Mouse	Method not given	90	
methanesulphonic acid		No data available				
Alcohols, C9-11, ethoxylated		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
hydrogen peroxide		No data available				
methanesulphonic acid		No data available				
Alcohols, C9-11, ethoxylated		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
hydrogen peroxide	NOAEL	No data available	Mouse	Method not given	28	
methanesulphonic acid	NOAEL	0.026	Rat	Method not given	30	
Alcohols, C9-11, ethoxylated		No data available				



## Oxivir Excel®

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkylbenzenesulphonic acid	Oral	NOAEL	85	Rat	Read across	9 month(s)		
(2-methoxymethylethoxy)propanol			No data available					
hydrogen peroxide			No data available					
methanesulphonic acid			No data available					
Alcohols, C9-11, ethoxylated			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
alkylbenzenesulphonic acid	No data available
(2-methoxymethylethoxy)propanol	No data available
hydrogen peroxide	No data available
methanesulphonic acid	Respiratory tract
Alcohols, C9-11, ethoxylated	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkylbenzenesulphonic acid	No data available
(2-methoxymethylethoxy)propanol	No data available
hydrogen peroxide	No data available
methanesulphonic acid	Respiratory tract
Alcohols, C9-11, ethoxylated	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
(2-methoxymethylethoxy)propanol	LC <sub>50</sub>	> 1000	<i>Poecilia reticulata</i>	Method not given	96
hydrogen peroxide	LC <sub>50</sub>	16.4	<i>Pimephales promelas</i>	Method not given	96
methanesulphonic acid	LC <sub>50</sub>	73	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	96
Alcohols, C9-11, ethoxylated		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	EC <sub>50</sub>	1 - 10	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
(2-methoxymethylethoxy)propanol	EC <sub>50</sub>	1919	<i>Daphnia magna</i> Straus	Method not given	48
hydrogen peroxide	EC <sub>50</sub>	2.4	<i>Daphnia pulex</i>	Method not given	48
methanesulphonic acid	EC <sub>50</sub>	10 - 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
Alcohols, C9-11, ethoxylated		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

## Oxivir Excel®

alkylbenzenesulphonic acid	EC <sub>50</sub>	10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
(2-methoxymethylethoxy)propanol	EC <sub>50</sub>	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
hydrogen peroxide	EC <sub>50</sub>	2.5	<i>Chlorella vulgaris</i>	OECD 201 (EU C.3)	72
methanesulphonic acid	EC <sub>50</sub>	12 - 24	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
Alcohols, C9-11, ethoxylated		No data available			

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkylbenzenesulphonic acid		No data available			-
(2-methoxymethylethoxy)propanol		No data available			-
hydrogen peroxide	ErC <sub>50</sub>	1.38	<i>Skeletonema costatum</i>	Method not given	72
methanesulphonic acid		No data available			-
Alcohols, C9-11, ethoxylated		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkylbenzenesulphonic acid		No data available			
(2-methoxymethylethoxy)propanol	EC <sub>10</sub>	4168	<i>Pseudomonas putida</i>	Method not given	
hydrogen peroxide	EC <sub>50</sub>	466	<i>Activated sludge</i>	Method not given	
methanesulphonic acid	EC <sub>20</sub>	> 1000	<i>Activated sludge</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	0.5 hour(s)
Alcohols, C9-11, ethoxylated		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkylbenzenesulphonic acid	NOEC	0.1 - 1	<i>Lepomis macrochirus</i>	Read across	28 day(s)	
(2-methoxymethylethoxy)propanol		No data available				
hydrogen peroxide	NOEC	4.3	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
methanesulphonic acid		No data available				
Alcohols, C9-11, ethoxylated		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkylbenzenesulphonic acid	NOEC	1 - 10	<i>Not specified</i>	Read across	32 day(s)	
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
hydrogen peroxide	NOEC	1	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
methanesulphonic acid		No data available				
Alcohols, C9-11, ethoxylated		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

## Oxivir Excel®

Alcohols, C9-11, ethoxylated		No data available				
------------------------------	--	-------------------	--	--	--	--

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	EC <sub>50</sub>	167		OECD 208	21	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
(2-methoxymethylethoxy)propanol		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	
hydrogen peroxide	24 hour(s)	Method not given	OH radical	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical	DT <sub>50</sub>	Method	Evaluation
---------------	----------	------------	------------------	--------	------------

## Oxivir Excel®

		method			
alkylbenzenesulphonic acid			94 % in 28 day(s)	OECD 301A	Readily biodegradable
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
hydrogen peroxide	Activated sludge, aerobe	Specific analysis (primary degradation)	> 50 % in < 1 day(s)		Not applicable (inorganic substance)
methanesulphonic acid		COD removal	>70 % in 28 day(s)	OECD 301A	Readily biodegradable
Alcohols, C9-11, ethoxylated				ISO 14593	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkylbenzenesulphonic acid	3.2	Method not given	Low potential for bioaccumulation	
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
hydrogen peroxide	-1.57		No bioaccumulation expected	
methanesulphonic acid	-5.17		No bioaccumulation expected	
Alcohols, C9-11, ethoxylated	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkylbenzenesulphonic acid	2 - 500		Method not given	Low potential for bioaccumulation	
(2-methoxymethylethoxy)propanol	No data available				
hydrogen peroxide	No data available				
methanesulphonic acid	No data available				
Alcohols, C9-11, ethoxylated	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkylbenzenesulphonic acid	No data available				Low mobility in soil
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
hydrogen peroxide	2				Mobile in soil
methanesulphonic acid	0		Model calculation		Mobile in soil
Alcohols, C9-11, ethoxylated	No data available				

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 14\* - acids.

**Empty packaging**

**Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 1760**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. ( hydrogen peroxide , alkylsulphonic acid )

**14.3 Transport hazard class(es):****Transport hazard class (and subsidiary risks):** 8**14.4 Packing group:** III**14.5 Environmental hazards:****Environmentally hazardous:** No**Marine pollutant:** No**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR****Classification code:** C9**Tunnel restriction code:** E**Hazard identification number:** 80**IMO/IMDG****EmS:** F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Directive 93/42/EEC on medical devices
- Regulation (EU) No 528/2012 on biocidal products
- Regulation (EC) No. 648/2004 - Detergents regulation

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

UFI: 54V2-5013-H00K-ARAR

**Ingredients according to EC Detergents Regulation 648/2004**

anionic surfactants	15 - 30 %
disinfectants	5 - 15 %
non-ionic surfactants, phosphonates	< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1003145**Version:** 01.2**Revision:** 2018-07-08**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H271 - May cause fire or explosion; strong oxidiser.
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

**Oxivir Excel®****Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

**End of Safety Data Sheet**