

Ultra Disinfectant

Cleanline[®] Ultra Disinfectant is a high performance virucidal cleaner disinfectant with a broad-spectrum activity against bacteria, yeast and viruses and conforms to EN 14476, EN 16777 and EN 1276.

- High performance fragrance-free, chlorine-free and alcohol-free cleaner disinfectant.
- Broad-spectrum activity against bacteria, yeast and viruses.
- Virucidal activity against Coronaviruses killing 99.99% of the virus in under 1 minute and conforms to protocol EN 14476 & BS EN 16777.
- Suitable for the disinfection of hard surfaces in hospitals, long term care facilities, institutions, restaurants, hotels, food processing plants and schools.
- Disinfectant based on dodecyldimethylammonium chloride (DDAC).
- High efficacy: Bactericidal (including MRSA and L. interrogans)

Yeasticidal

Virucidal (against enveloped & non-enveloped viruses including *Norovirus, Influenza* and *Feline coronavirus* (as a surrogate for other members of the Coronavirus family including SARS-CoV-2).

• Independently tested and conforms to protocols EN 1276, (inc. MRSA), EN 13697, EN 14476 and EN 16777.

RECOMMENDED DILUTION: No dilution required to meet the antimicrobial performance.

ENSURE YOU ARE WEARING RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT (PPE) AND HAVE THE CORRECT EQUIPMENT FOR THIS TASK.

INSTRUCTIONS FOR USE:

Broad-spectrum surface/equipment disinfection: : Remove all loose/visible soiling. Apply the solution to a clean cloth/sponge or spray and wipe the surface clean. Re-apply to the surface and allow required contact time to disinfect (minimum of 1 min for protocols EN 1276, EN 14476 & EN 16777). Rinse cloth in clean water, wring out and wipe surface. Allow to air dry.

For food contact surfaces rinse thoroughly with clean water.*

IMPORTANT: Rinse surface with clean water to remove any disinfectant residue from food contact surfaces in kitchens and food preparation equipment and prevents subsequent skin contact with the product (e.g. Work station surfaces where hand and arms might rest for extended periods).



CODE AND CASE SIZE:

CL4058 - 750ml (supplied in case of 6) CL4059 - 5L Eco-Refill (supplied in case of 4) CL4069 - 5L Concentrate (supplied in case of 2)

PRODUCT INFORMATION:

UFI Code: A37J-J0JW-X00T-H984 Appearance: Clear, colourless liquid Odour: Characteristic odour pH as supplied: 11 PCS Code: 100661

QUALITY ASSURANCE:

This product is manufactured in the UK for Bunzl UK & Ireland and produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management Systems. This product has not been tested on animals.

ENVIRONMENTAL:

All surfactants used in Cleanline products comply with the current European regulations concerning biodegradability & protection of the environment.

SAFE HANDLING:

Always wear the correct Personal Protective Equipment (PPE) when handling, dispensing or using chemicals. All PPE should comply with appropriate standards and be readily available for use.



In case of an accident please refer to the product Safety Data Sheet (SDS) for immediate first aid measures and helpline telephone number for a medical emergency.

SAFE STORAGE:

Store sealed in original container in a cool, well ventilated area away from direct sunlight and extremes of temperature.

(UK) PrimeSource, PO BOX 15247, Birmingham, B23 3HN, UK (IE) PrimeSource, Unit D9, Horizon Logistics Park, Swords, Co.Dublin, K67 N4T2, Ireland Email: info@prime-source.co.uk

ISSUE DATE: 20/09/2021



Cleanline[®] is an exclusive brand of Bunzl UK & Ireland © 2021 Bunzl UK Ltd. All Rights Reserved.

TECHNICAL INFORMATION SHEET Supplier: 7662/21 Page 1 of 3



Product information continued for Cleanline[®] Ultra Disinfectant

ANTIMICROBIAL PERFORMANCE

Activity Claim: Bactericidal

EN 1276:2019 Identification of the bacterial test strains: Bactericidal result (log 5), in presence of dirty conditions (30, 30, Albumin) with a contact time of 30 secounds. MRSA NCTC 12493, B. aeruginosa NCTC 13359 Note: MRSA was tested as an additional organism. E. Oil NCTC 10418 (ATCC 10541), E. hinae NCTC 10336) EN 1276 (modified) Bactericidal result (log 4), in presence of low organic load (BSA) with a contact time of 5 S minutes. Identification of the bacterial test strains: L. interrogans (Weil's disease). EN 13697 E. coil ATCC 10536, S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442, L. monocytogenes ATCC 15313, S. typhimurium EN 1656 (Veterinary Areas) Bactericidal result (log 5), in presence of high weterinary organic load (BSA + Erythrocytes) with a contact time of 30 minutes. Identification of the bacterial test strains: P. aeruginosa ATCC 15442, S. aureus ATCC 6538, E. hirae ATCC 10541 and P. vulgaris ATCC 13315 EN 1350 Test strains: S. aureus ATCC 6538, E. hirae ATCC 10541 and P. vulgaris ATCC 13315 EN 1350 Test strains: C. albicans ATCC 10231. Yeasticidal result (log 3), in presence of high medical organic load (BSA) erythrocytes) Test strains: C. albicans ATCC 10231. Yeasticidal result (log 3), in presence of high medical organic load (BSA) erythrocytes) Test strains: C. albicans ATCC 10231. Fin 1650 Yeasticidal result (log 4), in presence of high medical organic load (BSA) with a contact t	EN 1276-2019		
Bactericidal result (log 4), in presence of low organic load (BSA) with a contact time of 5 minutes.Identification of the bacterial test strains: L. interrogans (Weil's disease).EN 13697 Bactericidal result (log 4), in presence of high organic load (BSA) with a contact time of 5 minutes.Identification of the bacterial test strains: E. coli ATCC 10536, S. aureus ATCC 15412, E. coli ATCC 10531, S. typhimuriumEN 1566 (Veterinary Areas) Bactericidal result (log 5), in presence of high veterinary organic load (BSA + Erythrocytes) tordat lesult (log 5), in presence of high medical organic load (BSA + Erythrocytes) veasticidal result (log 4), in presence of high medical organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 13697 Yeasticidal result (log 4), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 13697 Yeasticidal result (log 4), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of high organic load (BSA) contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of high werganic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 16438 Yeastic	Bactericidal result (log 5), in presence of dirty conditions (3.0g/l Albumin) with a contact time of 30 secounds.	MRSA NCTC 12493, P. aeruginosa NCTC 13359 (ATCC 15442), S. aureus NCTC 10788 (ATCC 6538), E. hirae NCTC 13383 (ATCC 10541),	
Bactericidal result (log 4), in presence of high organic load (BSA) with a contact time of 5 minutes.E. coli ATCC 10536, S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442, L. monocytogenes ATCC 15313, S. typhimuriumEN 1656 (Veterinary Areas) Bactericidal result (log 5), in presence of high medical organic load (BSA + Erythrocytes) with 	Bactericidal result (log 4), in presence of low organic load (BSA) with a contact time of		
Bactericidal result (log 5), in presence of high Identification of the bacterial test strains: Pactericidal result (log 5), in presence of high Pactericidal result (log 5), in presence of high Bactericidal result (log 5), in presence of high Test strains: S. aureus ATCC 6538, E. hirae ATCC 10541 and P. vulgaris ATCC 13315 EN 13727 (Medical Areas) Test strains: S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442 Bactericidal result (log 5), in presence of high Test strains: S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442 Activity Claim: Yeasticidal EN 1650 Yeasticidal result (log 3), in presence of high Test strains: C. albicans ATCC 10231. organic load (BSA) contact time of 15 minutes. Test strains: C. albicans ATCC 10231. EN 16615 Yeasticidal result (log 4), in presence of high Test strains: C. albicans ATCC 10231. organic load (BSA) contact time of 15 minutes. Test strains: C. albicans ATCC 10231. EN 16615 Yeasticidal result (log 4), in presence of high Test strains: C. albicans ATCC 10231. Yeasticidal result (log 4), in presence of low Test strains: C. albicans ATCC 10231. organic load (BSA) with a contact time of 10 Test strains: C. albicans ATCC 10231. minutes. EN 1650 Yeasticidal result (log 4), in presence of high Yeasticid	Bactericidal result (log 4), in presence of high organic load (BSA) with a contact time of 5	E. coli ATCC 10536, S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442,	
Bactericidal result (log 5), in presence of high medical organic load (BSA + Erythrocytes) with a contact time of 5 minutes.Test strains: S. aureus ATCC 6538, E. hirae ATCC 10541, P. aeruginosa ATCC 15442Activity Claim: YeasticidalEn 1650 	Bactericidal result (log 5), in presence of high veterinary organic load (Yeast Extract + BSA) at	P. aeruginosa ATCC 15442, S. aureus ATCC 6538,	
EN 1650Yeasticidal result (log 4), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 13697Yeasticidal result (log 3), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 16615Yeasticidal results (log 4), in presence of high medical organic load (BSA + Erythrocytes) contact time of 1 minute.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of high weterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231.EN 16438 (Veterinary Areas) Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231	Bactericidal result (log 5), in presence of high medical organic load (BSA + Erythrocytes) with		
Yeasticidal result (log 4), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 13697 Yeasticidal result (log 3), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 16615 Yeasticidal results (log 4), in presence of high medical organic load (BSA + Erythrocytes) contact time of 1 minute.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1657 (Veterinary Areas) Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231EN 16438 (Veterinary Areas) Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231	Activity Claim: Yeasticidal		
Yeasticidal result (log 3), in presence of high organic load (BSA) contact time of 15 minutes.Test strains: C. albicans ATCC 10231.EN 16615 Yeasticidal results (log 4), in presence of high medical organic load (BSA + Erythrocytes) contact time of 1 minute.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1657 Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231.EN 16438 Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231	Yeasticidal result (log 4), in presence of high	Test strains: C. albicans ATCC 10231.	
Yeasticidal results (log 4), in presence of high medical organic load (BSA + Erythrocytes) contact time of 1 minute.Test strains: C. albicans ATCC 10231.EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1657 (Veterinary Areas) Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231.EN 16438 (Veterinary Areas) Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) atTest strains: C. albicans ATCC 10231	Yeasticidal result (log 3), in presence of high	Test strains: C. albicans ATCC 10231.	
Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes.Test strains: C. albicans ATCC 10231.EN 1657 (Veterinary Areas) Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231.EN 16438 (Veterinary Areas) Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231			
Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at 10°C with a contact time of 30 minutes.Test strains: C. albicans ATCC 10231EN 16438 (Veterinary Areas) Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) atTest strains: C. albicans ATCC 10231	medical organic load (BSA + Erythrocytes)	Test strains: <i>C. albicans ATCC 10231</i> .	
Yeasticidal result (log 3), in presence of high veterinary organic load (Yeast Extract + BSA) at Test strains: <i>C. albicans ATCC 10231</i>	medical organic load (BSA + Erythrocytes) contact time of 1 minute. EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10		
	medical organic load (BSA + Erythrocytes) contact time of 1 minute. EN 1650 Yeasticidal result (log 4), in presence of low organic load (BSA) with a contact time of 10 minutes. EN 1657 (Veterinary Areas) Yeasticidal result (log 4), in presence of high veterinary organic load (Yeast Extract + BSA) at	Test strains: <i>C. albicans ATCC 10231</i> .	



CODE AND CASE SIZE:

CL4058 - 750ml (supplied in case of 6) CL4059 - 5L Eco-Refill (supplied in case of 4) CL4069 - 5L Concentrate (supplied in case of 2)

PRODUCT INFORMATION:

UFI Code: A37J-J0JW-X00T-H984 Appearance: Clear, colourless liquid Odour: Characteristic odour pH as supplied: 11 PCS Code: 100661

QUALITY ASSURANCE:

This product is manufactured in the UK for Bunzl UK & Ireland and produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management Systems. This product has not been tested on animals.

ENVIRONMENTAL:

All surfactants used in Cleanline products comply with the current European regulations concerning biodegradability & protection of the environment.

SAFE HANDLING:

Always wear the correct Personal Protective Equipment (PPE) when handling, dispensing or using chemicals. All PPE should comply with appropriate standards and be readily available for use.



In case of an accident please refer to the product Safety Data Sheet (SDS) for immediate first aid measures and helpline telephone number for a medical emergency.

SAFE STORAGE:

Store sealed in original container in a cool, well ventilated area away from direct sunlight and extremes of temperature.

(UK) PrimeSource, PO BOX 15247, Birmingham, B23 3HN, UK (IE) PrimeSource, Unit D9, Horizon Logistics Park, Swords, Co.Dublin, K67 N4T2, Ireland Email: info@prime-source.co.uk

ISSUE DATE: 20/09/2021



Cleanline[®] is an exclusive brand of Bunzl UK & Ireland © 2021 Bunzl UK Ltd. All Rights Reserved.



Product information continued for Cleanline[®] Ultra Disinfectant

Activity Claim: Virucidal against enveloped viruses inclusing coronavirus

centre cianni. Vinaciaan against envelopea vinase	is inclusing coronaritus	
BS EN 16777:2018 Virucidal result (log 4), in clean conditions (0,3 g/l bovine serum albumin) with a contact time of 1 minute.	Test strains: Feline coronavirus, Strain Munich (as a surrogate for other members of the Coronavirus family including SARS-CoV-2)	
EN 14476:2013+A1:2015 Virucidal result (log 4), in presence of high medical organic load (BSA + Erythrocytes) with a contact time of 5 minutes.	Test strains: Modified Vaccinia Virus Ankara (MVA), Influenza A (H1N1) Virus.	
EN 14476 Virucidal result (log 4), in presence of high medical organic load (BSA + Erythrocytes) with a contact time of 5 minutes.	Test strains: Influenza A (H7N9) Virus.	
EN 14476 Virucidal result (log 4), in presence of low organic load (BSA) with a contact time of 1 minute.	Test strains: Corona Virus (BCoV) (as a surrogate for other members of the Coronavirus family including MERS-CoV).	
BS EN 14476:2013+A2:2019 Virucidal result (log 4), in presence of low organic load (BSA) with a contact time of 1 minute.	Test strains: Feline coronavirus, Strain Munich (as a surrogate for other members of the Coronavirus family including SARS-CoV-2)	
EN 14675 (Veterinary Areas) Virucidal result (log 4), in presence of high-level soiling (Yeast Extract + BSA) at 10°C with a contact time of 1 minute.	Test strains: <i>Modified Vaccinia Virus Ankara</i> (MVA)	
Activity Claim: Virucidal		
EN 14476		

EN 14476	
Virucidal result (log 4), in presence of low	
organic load (BSA) with a contact time of 5	
minutes.	Test strains: Murine Norovirus strain S99 Berlin.
Virucidal result (log 4), in presence of and high	
medical organic load (BSA + Erythrocytes) with a	
contact time of 15 minutes.	

EN1279:2019: J001446, EN14476: J002508, J2394 A summary of the tests are available on request.



CODE AND CASE SIZE:

CL4058 - 750ml (supplied in case of 6) CL4059 - 5L Eco-Refill (supplied in case of 4) CL4069 - 5L Concentrate (supplied in case of 2)

PRODUCT INFORMATION:

UFI Code: A37J-J0JW-X00T-H984 Appearance: Clear, colourless liquid Odour: Characteristic odour pH as supplied: 11 PCS Code: 100661

QUALITY ASSURANCE:

This product is manufactured in the UK for Bunzl UK & Ireland and produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management Systems. This product has not been tested on animals.

ENVIRONMENTAL:

All surfactants used in Cleanline products comply with the current European regulations concerning biodegradability & protection of the environment.

SAFE HANDLING:

Always wear the correct Personal Protective Equipment (PPE) when handling, dispensing or using chemicals. All PPE should comply with appropriate standards and be readily available for use.



In case of an accident please refer to the product Safety Data Sheet (SDS) for immediate first aid measures and helpline telephone number for a medical emergency.

SAFE STORAGE:

Store sealed in original container in a cool, well ventilated area away from direct sunlight and extremes of temperature.

(UK) PrimeSource, PO BOX 15247, Birmingham, B23 3HN, UK (IE) PrimeSource, Unit D9, Horizon Logistics Park, Swords, Co.Dublin, K67 N4T2, Ireland Email: info@prime-source.co.uk

ISSUE DATE: 20/09/2021



Cleanline[®] is an exclusive brand of Bunzl UK & Ireland © 2021 Bunzl UK Ltd. All Rights Reserved.